#### **SMOOTH TOPS & SIDES**

# 38-400-85 S



### Specifications:

DIAMETER 38 mm

THREAD PROFILE 400

NECK FINISH 38-400

CLOSURE TOP Smooth

CLOSURE SIDEWALL Smooth

MATERIAL PP

#### PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS	
Bulk	3,750	15	56,250	<b>26</b> <sup>(1)</sup>	398 <sup>(1)</sup>	100 <sup>(1)</sup>	
Bulk	3,750	15	56,250	<b>29</b> <sup>(2)</sup>	440 <sup>(2)</sup>	100 <sup>(2)</sup>	
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50				

(1) Unlined Closures (2) Lined Closures \*Approximate

#### **MARKETS**

Nutraceuticals, Personal Care & Cosmetics, and Pharmaceuticals.

#### **OPTIONS**

Available in white, standard colors and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners.

#### **CLOSURE BENEFITS**


- Smooth top and sides lend a "clean" look to the package
- Popular for vitamins and nutraceuticals
- Popular for cosmetics



PHXPKG.COM

#### **SMOOTH TOPS & SIDES**

## 38-400-85 S



NOTES: (UNLESS OTHERWISE SPECIFIED)  1. ALL DIMENSIONS ARE IN INCHES.		09.02	2.14 Redefine Reference Dimensions		DN
2. SEE CHART FOR DIMENSIONAL TOLERANCE.	REV	DATE	ATE DESCRIPTION		BY
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF	TOLE	OLERANCE PITCH/TPI.167 / 6 TURNS 1-3/16 MAT'L		H/TPI .167 / 6 TURNS 1-3/16 MAT'L PP	
PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF	.X	±0.1	DRA'	WN BEZ DATE 07.07.05 SCALE 5:2	REV
THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY	.XX	±0.02		20 400 05 0	ᄃ
CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	.XXX	±0.010		38 - 400 - 85 S	$\mathcal{O}$



# 38-400-85 S

