

FoilSeal[™] Technical Data Sheet

.035" Pulp FS 5-8

Revision: FS58-08192011

Product	035" Pulp ES #	.035" Pulp FS 5-8			
	.030 Fulp F3 (
Scope	PS, PET, PVC,	Two piece pulp backed heat induction foil inner seal which will provide a tamper-evident bond to PE, PS, PET, PVC, PP and treated glass containers. It is recommended for liquid products and is an alternative to FS 5-4.			
Composition	Material	Standard	Metric	3	
	Pulp	.035"	.889 mm	Pulp	
	Wax	-	-	Wax	
	Paper	.002"	.0508 mm	PEEL EASY PEEL EASY PEEL	
	Foil	.0003"	.0076 mm	Paper	
	Heat Seal	.0015"	.0381 mm	Foil Heat Seal	
		Freshness Sealed Eshness Fri Ealed Se Freshness		imposition does not include adhesive, resin or wax bonding layers (if any).	
FDA Status: 21 CFR 177.1210 Recommended Storage and Handling: Refer to Website.					
Drug Master File (DF	FM): #4544 EU/	EP Reg.: Does not me	eet Article 3a of Re	eg. No. 2023/2006 and Article 3 of Reg. No. 1935/2004	
GTR Oxygen: Ess	entially Zero	MVTR: Essentiall	v Zero		

GTR Oxygen: Essentially Zero MVTR: Essentially Zero

Sealing to glass containers: Selig can not guarantee the performance or seal integrity of this materials when applied to any glass (treated or untreated) container. We suggest you contact your glass supplier for recommendations on glass treatments that may or may not improve performance or seal integrity.

Print Location (if any): Heat Seal Layer and/or Backing

Selig materials are compliant with current USFDA Food allergen Guidelines.

Selig materials are compliant with California Proposition 65 labeling requirements.

Selig materials are compliant with limitation of heavy metals in packaging per CONEG & EU 94/62/EC, article 11.

Recommended for use with dry food products. Is not suitable for use with fatty or alcoholic food types per ECC Reg. № 10/2011. Determining specific organoleptic compatibility per Article 3a of ECC Reg. № 2023/2006 is the responsibility of the food packager.

MSDS's are not required as Selig is not a chemical manufacturer or distributor and our products are 'articles' intended for food packaging per 29 CFR 1910.1200 (HazCom).

The information contained within this product data bulletin is to be used as a general guide in determining which structures are offered for sealing to specific container materials. All of the information which we provide is reliable to the best of our knowledge, but the accuracy thereof is not guaranteed. We suggest that consumers determine suitability for their own application.

Corporate Headquarters North American Sales 342 E Wabash St Forrest, IL 61741, USA Fax: +1 (815) 657-7584 Fax: +1 (630) 922-8469

Selig Sealing Products, Inc. Selig Sealing Products, Inc. 184 Shuman Blvd., Suite 310 Naperville, IL 60563, USA Phone: +1 (815) 785-2100 Phone: +1 (630) 922-3158

European Sales and Manufacturing Selig UK, LTD 635-637 Ajax Avenue Slough Trading Estate Slough Berkshire SL14BH UK Phone: +44 (0) 1753 773 000 Fax: +44 (0) 1753 773 111

Canadian Manufacturing Selig Canada, ULC 145 Edward Street Aurora, Ontario Canada, L4G 1W3 CH-8172 Niederglatt Phone: +1 (905) 727-0114

Fax: +1 (905) 727-8544

www.seligsealing.com

Swiss Manufacturing Selig Switzerland LTD Bahnhofstrasse 11 Phone: +41 (0) 44 851 50 50 Fax: +41 (0) 44 851 50 51









