#### **SMOOTH TOPS & SIDES**

# 33-400-85 S



### Specifications:

DIAMETER 33 mm

THREAD PROFILE 400

NECK FINISH 33-400

CLOSURE TOP Smooth

CLOSURE SIDEWALL Smooth

MATERIAL PP

#### PACKAGING & FREIGHT INFORMATION

PACK TYPE	PCS/CTN	CTNS/PALT	PCS/PALT	CTN WT*	PALT WT*	FRT CLASS	
Bulk	5,000	15	75,000	24 <sup>(1)</sup>	358 <sup>(1)</sup>	<b>125</b> <sup>(1)</sup>	
Bulk	5,000	15	75,000	<b>28</b> <sup>(2)</sup>	<b>417</b> <sup>(2)</sup>	100 <sup>(2)</sup>	
CARTON DIMENSIONS: 24 x 16 x 15			PALLET DIMENSIONS: 48 x 40 x 50				

(1) Unlined Closures (2) Lined Closures \*Approximate

#### **MARKETS**

Nutraceuticals, Personal Care & Cosmetics, and Pharmaceuticals.

#### **OPTIONS**

Available in white, standard colors and custom colors. Can be lined with a wide variety of liner systems including SureSeal (foam), pressure sensitive and heat induction (foil) liners.

#### **CLOSURE BENEFITS**


- Smooth top and sides lend a "clean" look to the package
- Popular for vitamins and nutraceuticals
- Popular for cosmetics



PHXPKG.COM

#### **SMOOTH TOPS & SIDES**

# 33-400-85 S



NOTES: (UNLESS OTHERWISE SPECIFIED)  1. ALL DIMENSIONS ARE IN INCHES.  2. SEE CHART FOR DIMENSIONAL TOLERANCE.		07.22	2.13 Update Exterior Diameter Dimensions		DA
		DATE	DESCRIPTION		BY
THIS OR FACSIMILE THEREOF IS THE EXCLUSIVE PROPERTY OF	TOLE	OLERANCE PITCH/TPI .167 / 6 TURNS 1-1/8 MAT'L		TPI.167 / 6 TURNS 1-1/8 MAT'L PP	
PHOENIX AND MAY NOT BE REPRODUCED WITHOUT THE EXPRESSED WRITTEN CONSENT OF PHOENIX. SOME OR ALL OF	.X	±0.1	DRAW	N DMN DATE 11.19.07 SCALE 3:1	REV
THE ITEMS DEPICTED ON THIS DRAWING MAY BE COVERED BY	.XX	±0.02		22 400 OF C	4
CURRENT PATENTS OR PATENTS APPLIED FOR BY PHOENIX.	.XXX	±0.010		33 - 400 - 85 S	



#### **SMOOTH TOPS & SIDES**

# 33-400-85 S

