







ZHEJIANG WOLFGANG TECHNOLOGY CO., LTD
浙江沃艾夫冈科技有限公司



设计 Design		日期 Date		产品系列 Product series		GB28-Φ 20-400		制品名称 Plastic name	内盖
审核 Review		日期 Date		容量 Capacity		重量 Weight		材质 Material	PP
批准 Approval		日期 Date		单位 Unit	mm	视角 View			
纸页 Paper size	A4	版本 Version	A0	比例 Scale	1:1				

Wolfgang Enterprise Inc dba FH Packaging is a direct manufacturing company specializing in blow molding, injection molding, label design, silkscreen printing, and mold development. Our direct to factory and strategically placed distribution centers across the US, UK, Thailand, and China present a unique solution to all of our clients. In addition, we have a large selection of ready stock items across many different industries that cater to companies of all sizes.

MANUFACTURING FACILITY

No 55, 329 National Rd Shangyu District Zhejiang Province SHAOXING CITY, 312367 China



 ZHEJIANG WOLFGANG TECHNOLOGY CO., LTD 浙江沃艾夫冈科技有限公司									
设计 Design		日期 Date		产品系列 Product series		GB28-Ø20-400		制品名称 Plastic name	圆字压旋盖
审核 Review		日期 Date		容量 Capacity		重量 Weight	1.8g	材质 Material	PP
批准 Approval		日期 Date		单位 Unit	mm	视角 View			
纸页 Paper size	A4	版本 Version	A0	比例 Scale	1:1				

Wolfgang Enterprise Inc dba FH Packaging is a direct manufacturing company specializing in blow molding, injection molding, label design, silkscreen printing, and mold development. Our direct to factory and strategically placed distribution centers across the US, UK, Thailand, and China present a unique solution to all of our clients. In addition, we have a large selection of ready stock items across many different industries that cater to companies of all sizes.


PRODUCT DATA SHEET

PRODUCT NAME: Pressure Sensitive Liner

Product Description:
Pressure sensitive liner can be used for all kind of materials (plastic, glass and metal) bottle/jar sealing. It's coating pressure sensitive glue on sealing side, with the force from the cap while close it tightly, the glue will stick on the rim of bottle neck.

Application:
Typically for dry food, pharmacy and daily chemical products, for example dry fruit, spice, cosmetic cream, and so on.

Composition:

Data		Figure
Layer	Thickness	
Releasing wax	-	
PS foam	0.8~2.0mm	
Pressure sensitive glue	0.03~0.06mm	
Overall	0.8~2.0mm	

Product Value:

Odor: None detected	GTR: Near Zero
Taste: None detected	MVTR: Near Zero

Regulatory Compliance:
The pressure sensitive liners comply with applicable Chinese Food Industry certificates regulations, for most food, spice and pharmaceutical products.

Storage and Handling:
Transportation or storage temperature should not exceed 40°C. Avoid exposing to direct sunlight. For best results, wait 48 hours at recommended storage conditions before processing. Do not exceed 12 months of storage from manufacturing date.

Disclaimer: All statements, technical information and recommendations about FH Packaging products are based upon tests believed to be reliable but do not constitute a guarantee or warranty. All FH Packaging products are sold with the understanding that PURCHASER has independently determined suitability of such products for its purposes. FH Packaging products are warranted to the original purchaser to be free from defects in material or workmanship for a period of one year from date of shipment. Purchaser’s sole and exclusive remedy for breach of this warranty shall be the replacement of the defective products by FH Packaging, or at its option, the issuance of a credit or refund in an amount up to the purchase price of the defective product. In no event shall FH Packaging be responsible for claims or damages of any kind, beyond the purchase price of the defective product.