


no.	ITEM NAME	MATERIAL	GRADE NO.	MAKER	Weight
①	OUTER CAP	PMMA			29.4±2.5g
②	INNER CAP	ABS			12±1.0g
③	LINER	PE			
④	DISC	PE			2.3±0.2g
⑤	OUTER JAR	PMMA			91±5g
⑥	INNER JAR	PP			5.5±0.5g

REVISIONS			
REV.	DESCRIPTION	DATE	BY


OFC: 55±2ML



	PROJECT NO.	TOLERANCE: 0≥10—±0.15 50≥70—±0.6 10≥20—±0.2 70≥90—±0.7 20≥30—±0.3 80≥150—±1 30≥50—±0.4 ≥200—>2 ANGULAR: ±1° 30'
	PART NO.	
PRODUCT: 50G ROUND JAR-ASSEMBLY		
WEIGHT: N/A	DRAWN BY: WYF	OFC: N/A
PROG:	SCALE: 1:1	MATERIAL: N/A
DATE: 2020. 2. 27	DWG NO:	

All Circled Dimensions Are Critical to Function


REVISIONS			
REV.	DESCRIPTION	DATE	BY



	PROJECT NO.	TOLERANCE: 0-10-±0.15 50-70-±0.6 10-20-±0.2 70-90-±0.7 20-30-±0.3 90-150-±1 30-50-±0.4 >200->2 ANGULAR: ±1° 30'
	PART NO.	
PRODUCT: 50G ROUND JAR-CAP ASSEMBLY		
WEIGHT: N/A	DRAWN BY: WYF	OFC: N/A
PROG:	SCALE: 1:1	MATERIAL: N/A
DATE: 2020. 2. 27	DWG NO:	


All Circled Dimensions Are Critical to Function

REVISIONS			
REV.	DESCRIPTION	DATE	BY



	PROJECT NO.	TOLERANCE: 0>10—±0.15 10>20—±0.2 20>30—±0.3 30>50—±0.4 ANGULAR: ±1° 30'
	PART NO.	
PRODUCT: 50G ROUND JAR-JAR ASSEMBLY		
WEIGHT: N/A	DRAWN BY: WYF	OFC: N/A
PROG: 	SCALE: 1:1	MATERIAL: N/A
DATE: 2020. 2. 27	DWG NO:	




All Circled Dimensions Are
Critical to Function



REVISIONS			
REV.	DESCRIPTION	DATE	BY

	PROJECT NO.	TOLERANCE: 0≥10—±0.15 50≥70—±0.6 10≥20—±0.2 70≥90—±0.7 20≥30—±0.3 90≥150—±1 30≥50—±0.4 ≥200—>2 ANGULAR: ±1° 30'	
	PART NO.		
PRODUCT: 50G ROUND JAR-OUTER CAP			
WEIGHT: 29.4±2.5G		DRAWN BY: WYF	OFC: N/A
PROG: 		SCALE: 1:1	MATERIAL: PMMA
DATE: 2020. 2. 27		DWG NO:	

 All Circled Dimensions Are
Critical to Function




REVISIONS			
REV.	DESCRIPTION	DATE	BY

DATA:
single thread
p=2.5
right- hand
thread

	PROJECT NO.	TOLERANCE: 0≥10—±0.15 50≥70—±0.6 10≥20—±0.2 70≥90—±0.7 20≥30—±0.3 80≥150—±1 30≥50—±0.4 ≥200—>2 ANGULAR: ±1° 30'
	PART NO.	
PRODUCT: 50G ROUND JAR-INNER CAP		
WEIGHT: 12±1G	DRAWN BY: WYF	OFC: N/A
PROG: 	SCALE: 1:1	MATERIAL: ABS
DATE: 2020. 2. 27	DWG NO:	

All Circled Dimensions Are Critical to Function


REVISIONS			
REV.	DESCRIPTION	DATE	BY



	PROJECT NO.	TOLERANCE: 0≥10—±0,15 50≥70—±0,6 10≥20—±0,2 70≥90—±0,7 20≥30—±0,3 90≥150—±1 30≥50—±0,4 ≥200—±2 ANGULAR: ±1° 30'
	PART NO.	
PRODUCT: 50G ROUND JAR-LINER		
WEIGHT: 2.3±0.2G	DRAWN BY: WYF	OFC: N/A
PROG: 	SCALE: 1:1	MATERIAL: PE
DATE: 2020. 2. 27	DWG NO:	



All Circled Dimensions Are Critical to Function

REVISIONS			
REV.	DESCRIPTION	DATE	BY




	PROJECT NO.	TOLERANCE: 0≥10—±0.15 50≥70—±0.6 10≥20—±0.2 70≥90—±0.7 20≥30—±0.3 90≥150—±1 30≥50—±0.4 ≥200—>2 ANGULAR: ±1° 30'	
	PART NO.		
PRODUCT: 50G ROUND JAR-INNER JAR			
WEIGHT: 5.5±0.5G	DRAWN BY: WYF	OFC: N/A	
PROG: 	SCALE: 1:1	MATERIAL: PP	
DATE: 2020. 2. 27	DWG NO:		

All Circled Dimensions Are
Critical to Function



DATA:
single thread
 $p=2.5$
right- hand
thread


REVISIONS			
REV.	DESCRIPTION	DATE	BY



	PROJECT NO.	TOLERANCE: 0≥10—±0.15 50≥70—±0.6 10≥20—±0.2 70≥90—±0.7 20≥30—±0.3 80≥150—±1 30≥50—±0.4 ≥200—±2 ANGULAR: ±1°-30°
	PART NO.	
PRODUCT: 50G ROUND JAR-OUTER JAR		
WEIGHT: 91±5G	DRAWN BY: WYF	OFC: N/A
PROG: 	SCALE: 1:1	MATERIAL: PMMA
DATE: 2020. 2. 27	DWG NO:	

All Circled Dimensions Are Critical to Function

REVISIONS			
REV.	DESCRIPTION	DATE	BY



	PROJECT NO.	TOLERANCE:
	PART NO.	0 $\geq$ 10— $\pm$ 0.15 50 $\geq$ 70— $\pm$ 0.6 10 $\geq$ 20— $\pm$ 0.2 70 $\geq$ 90— $\pm$ 0.7 20 $\geq$ 30— $\pm$ 0.3 80 $\geq$ 150— $\pm$ 1 30 $\geq$ 50— $\pm$ 0.4 $\geq$ 200— $\pm$ 2 ANGULAR: $\pm$ 1° 30'
PRODUCT: 50G ROUND JAR-OUTER CAP		
WEIGHT: N/A	DRAWN BY: WYF	OFC: N/A
PROG:	SCALE: 1:1	MATERIAL: N/A
DATE: 2020. 2. 27	DWG NO:	

All Circled Dimensions Are
Critical to Function