


no.	ITEM NAME	MATERIAL	GRADE NO.	MAKER	Weight
①	OUTER CAP	AL			6g±0.5
②	INNER CAP	PP			6.8g±0.5g
③	LINER	PETG			1.2g±0.1g
④	JAR	PETG			45.5g±2g

REVISIONS			
REV.	DESCRIPTION	DATE	BY



Note:
1. OFC:71±2.5ML
2.upside down for 24hours,no leakage



APC P A C K A G I N G		PROJECT NO.	TOLERANCE	
		PART NO.	0 ≥ 10-- ± 0.15 50 ≥ 70-- ± 0.5 10 ≥ 20-- ± 0.2 70 ≥ 90-- ± 0.7 20 ≥ 30-- ± 0.3 80 ≥ 150-- ± 1 30 ≥ 50-- ± 0.4 ≥ 200-- > 2 ANGULAR: ± 1° 30'	
PRODUCT : 60g PETG JAR GA-assembly				
WEIGHT : N/A		DRAWN BY : WYF	OFC : N/A	
PROG: 		SCALE : 1:1	MATERIAL : N/A	
DATE: 2018.3.16		DWG NO.	GA060B	

All Circled Dimensions Are
Critical to Function

REVISIONS			
REV.	DESCRIPTION	DATE	BY






All Circled Dimensions Are
Critical to Function

APC P A C K A G I N G	PROJECT NO.	TOLERANCE	
	PART NO.	0 $\geq$ 10-- $\pm$ 0.15	50 $\geq$ 70-- $\pm$ 0.5
		10 $\geq$ 20-- $\pm$ 0.2	70 $\geq$ 90-- $\pm$ 0.7
		20 $\geq$ 30-- $\pm$ 0.3	80 $\geq$ 150-- $\pm$ 1
		30 $\geq$ 50-- $\pm$ 0.4	$\geq$ 200-- $\gt$ 2
		ANGULAR: $\pm$ 1°30'	

PRODUCT : 60g PETG JAR GA- outer cap			
WEIGHT: AL	DRAWN BY: WYF	OFC: N/A	
PROG: 	SCALE: 1:1	MATERIAL : 6 $\pm$ 0.5g	
DATE: 2018.3.16	DWG. NO. GA060B		

REVISIONS			
REV.	DESCRIPTION	DATE	BY



Data:
single thread
P=4.24
right-hand thread
Finish: 58/400


APC P A C K A G I N G		PROJECT NO.	TOLERANCE	
		PART NO.	0 $\geq$ 10-- $\pm$ 0.15 50 $\geq$ 70-- $\pm$ 0.5 10 $\geq$ 20-- $\pm$ 0.2 70 $\geq$ 90-- $\pm$ 0.7 20 $\geq$ 30-- $\pm$ 0.3 80 $\geq$ 150-- $\pm$ 1 30 $\geq$ 50-- $\pm$ 0.4 $\geq$ 200-- $\times$ 2 ANGULAR: $\pm$ 1°30'	
PRODUCT : 60g PETG JAR GA- inner cap				
WEIGHT : PP	DRAWN BY: WYF	OFC: N/A		
PROG: 	SCALE: 1:1	MATERIAL : 6.8 $\pm$ 0.5g		
DATE: 2018.3.16	DWG NO. GA060B			

All Circled Dimensions Are
Critical to Function

REVISIONS			
REV.	DESCRIPTION	DATE	BY

ø53.5±0.35 [2.106]




0.8±0.15 [0.031]



APC PACKAGING	PROJECT NO.	TOLERANCE	
	PART NO.	0 ≥ 10-- ± 0.15	50 ≥ 70-- ± 0.5
		10 ≥ 20-- ± 0.2	70 ≥ 90-- ± 0.7
		20 ≥ 30-- ± 0.3	80 ≥ 150-- ± 1
		30 ≥ 50-- ± 0.4	≥ 200-- > 2
		ANGULAR: ± 1° 30'	


PRODUCT : 60g PETG JAR GA-LINER			
WEIGHT: PE	DRAWN BY: WYF	OFC: N/A	
PROG:	SCALE: 1:1	MATERIAL : 1.2±0.1g	
DATE: 2018.3.16	DWG. NO. GA060B		

All Circled Dimensions Are
Critical to Function



A
4:1

DATA:
single thread
p=4.24
right-hand thread



REVISIONS			
REV.	DESCRIPTION	DATE	BY

APC P A C K A G I N G		PROJECT NO.		TOLERANCE	
		PART NO.		0 ≥ 10-- ± 0.15 50 ≥ 70-- ± 0.5	
				10 ≥ 20-- ± 0.2 70 ≥ 90-- ± 0.7	
				20 ≥ 30-- ± 0.3 80 ≥ 150-- ± 1	
PRODUCT : 60g PETG JAR GA-jar				30 ≥ 50-- ± 0.4 ≥ 200-- > 2	
				ANGULAR: ± 1° 30'	
WEIGHT :	PETG	DRAWN BY :	WYF	OFC :	N/A
PROG :		SCALE :	1:1	MATERIAL :	45.5±2g
DATE :	2018.3.16	DWG NO.	GA060B		

All Circled Dimensions Are
Critical to Function